





#### Requirements

- Over 8 years of experience
- Strong financial acumen
- Skilled negotiator
- Analytical mindset
- Hands-on approach

#### **Q** Amsterdam

With over eight hundred thousand downloads each month, DuckDB is transforming how developers work with data. From its base in Amsterdam, DuckDB Labs develops commercial tools and provides enterprise support for the software. With demand growing fast, the team is adding a Head of Operations to help scale the organization and support the next phase of growth. Ubuntu

API Service Center

### **About DuckDB Labs**

DuckDB Labs was founded by data scientists Hannes Mühleisen and Mark Raasveldt. What started as a spin-off from the Dutch national research institute for mathematics and computer science (CWI) has since evolved into a leading force in the database space. The team includes several of DuckDB's core developers and supports a growing number of enterprise clients – including names like Goldman Sachs and Amazon – helping them integrate DuckDB into their data platforms and maximize its value.

With a team of around twenty technical experts, DuckDB Labs combines the agility of a startup with the depth of world-class engineering. Everyone contributes directly to the growth and success of what has become the world's fastest-growing open-source database project. The environment is collaborative, fast-paced, and centered around real innovation.

In 2022, DuckDB Labs partnered with Jordan Tigani, former chief architect of Google BigQuery, to launch MotherDuck – a cloud-native spin-off based on DuckDB. MotherDuck has raised 47.5 million dollars in funding and established its European HQ in Amsterdam, strengthening ties with the local tech ecosystem. Most recently, Co-Founder and CEO Prof. Dr. Hannes Mühleisen received the Dutch Prize for ICT Research, a national award honoring groundbreaking scientific contributions.






## **Head of Operations**

As DuckDB Labs continues to grow, the need for streamlined day-to-day operations and consistent internal processes becomes increasingly important. The new Head of Operations will take on that responsibility, enabling the founders to focus on strategy and product development while ensuring the organization runs smoothly behind the scenes.

The role spans all operational domains, from finance and legal to HR and vendor management. The initial priority lies in building structure: determining what can be handled internally and what should be outsourced to trusted partners. In addition, the Head of Operations will help shape and strengthen client relationships by reviewing contracts, spotting bottlenecks or opportunities, and improving service delivery – often by engaging with clients in person. The role also involves daily interactions with external stakeholders such as legal advisors, landlords, and service providers.

"To keep growing at this pace – or faster – we need a strong operational and financial foundation. As Head of Operations, you're key to making that happen. You'll ensure the business runs efficiently and the team can keep its focus where it matters most."

Hannes Mühleisen, Co-Founder A keen eye for detail, a clear sense of priorities, and a proactive mindset are essential for this role, which requires someone who operates independently, moves quickly, and takes full ownership. The founders offer plenty of room to shape the position in a personal way – and as the company grows, so will the scope and responsibility. The ideal candidate brings a versatile, broad, and pragmatic mindset that fits the varied nature of the role. Whether coming from a finance background with a focus on internal processes or as an operations professional with a commercial edge, decisiveness and a hands-on mentality remain integral to success.



.usage = ATOMIC\_INIT(2) ); /n /nstruct group\_infe (s = (gidsetsize + NGROUPS\_PER\_BLOCK = 1) / NGROUPS group\_info = kmalloc(sizeof(\*group\_info) \* mb group\_infe->nblocks = nblocks; /n mil\_block; /n else ( /n goto out\_undo\_partial\_alte ite (--i == 0) ( /n /n free\_pa DRT\_SYMBOL(groups\_alloc); /n /n /n / int is /n /n for (L = 0) (int gidsetsize)( /n struct gr /\* Make sure we always allec +), GFP\_USER); /n 11 () inge, 1); /n /n if to gid\_t eb; /n 1 = 01 /8 n /n ) /n // n /n if ler s = ( .usage s = (gidset) group\_ ŧ. group, 1 all blocks

. . anal proves = 6 1 bi en en en mitanta iths - mblacks ? I bj /A preses - gidantaire; /n · prom info-renall, Blacks ST (180) /8 1 /n /n while (--- ) == 0) ( at small tereses altech; /n / -----.... and in struct prosp. and e always allocate at least /n st (tyroug\_into) /n of inidentairs an ...... . . 

### 🖉 Disconnect 🔟 🕫

1 (and 1), gat, has pagetter (10) 1 (and 1), gat, has pagetter (10) and an order party article and a constant (1) (1).

----

ahariyosa ,mhi). Mhin Njili,

ander, and a groups, allest

nast Barrier bestehnts Barrier und Barrier tuge

I Served , the related in group , the result , black is

-

ter (i = 0, i = group, mits mitrate, im) even group, mits inn, groups = 1, anno = etomic, skriter (;

stratt graup, tels "graups attention an

# Interested?

DuckDB is working with Top of Minds to fill this vacancy To express your interest, please contact Annelijn Nijhuis at **annelijn.nijhuis@topofminds.com** 





